

	Type	Hits	Search Text	DBs
1	BRS	31	albal.in.	USPAT; USOCR; EPO; JPO
2	BRS	6439	(receiver recipient) with (fax facsimile email)	USPAT; USOCR; EPO; JPO
3	BRS	17	S2 and ((receiver recipient) adj (preferance condition criteria requirement))	USPAT; USOCR; EPO; JPO
4	BRS	0	(document adj process\$3) same ((receiver recipient) adj (preferance condition criteria requirement))	USPAT; USOCR; EPO; JPO
5	BRS	2	(document adj process\$3) and ((receiver recipient) adj (preferance condition criteria requirement))	USPAT; USOCR; EPO; JPO
6	BRS	11	albal.in. and ((end adj user\$1) client\$1 receiver recipient)	USPAT; USOCR; EPO; JPO
7	BRS	6452	(receiver recipient) with (fax facsimile email)	USPAT; USOCR; EPO; JPO
8	BRS	17	S7 and ((receiver recipient) adj (preferance\$1 condition\$1 criteria requirement\$1))	USPAT; USOCR; EPO; JPO
9	BRS	17	S7 and ((receiver\$1 recipient\$1) adj (preferance\$1 condition\$1 criteria requirement\$1))	USPAT; USOCR; EPO; JPO
10	BRS	26	("4800488"   "5329619"   "5367681"   "5513126"   "5539885"   "5548646"   "5557320"   "5557721"   "5678041"   "5694546"   "5694616"   "5757510"   "5764898").PN. OR ("6047310").URPN.	US-PGPUB; USPAT; USOCR
11	BRS	2	"4918722".pn. "5206743".pn.	USPAT; USOCR; EPO; JPO
12	BRS	2	"5129016".pn. "5659164".pn.	USPAT; USOCR; EPO; JPO
13	BRS	8757	(receiver recipient) near3 controlled	USPAT; USOCR; EPO; JPO
14	BRS	0	S14 and (document adj classification)	USPAT; USOCR; EPO; JPO
15	BRS	0	S14 and (document adj classifier)	USPAT; USOCR; EPO; JPO
16	BRS	1	S14 and (document adj identifi\$5)	USPAT; USOCR; EPO; JPO

	Type	Hits	Search Text	DBs
17	BRS	325	S13 and (fax facsimile)	USPAT; USOCR; EPO; JPO
18	BRS	357	harkins.in.	USPAT; USOCR; EPO; JPO
19	BRS	23	S18 and profile	USPAT; USOCR; EPO; JPO
20	BRS	80	("4893307"   "4941170"   "4974159"   "5008853"   "5113499"   "5125075"   "5276731"   "5317562"   "5347632"   "5404505").PN. OR ("5689642").URPN.	US-PGPUB; USPAT; USOCR
21	BRS	1	"5978560".pn.	USPAT; USOCR; EPO; JPO
22	BRS	25	("5179636"   "5287194"   "5559933"   "5630079"   "5813348"   "5873659").PN. OR ("5978560").URPN.	US-PGPUB; USPAT; USOCR
23	BRS	1	"5625757".pn.	USPAT; USOCR; EPO; JPO
24	BRS	10	sender with ((access\$3 view\$3 extract\$3) with ((receiver recipient) near3 (condition\$1 preferance\$1 criteria requirement\$1 specification)))	USPAT; USOCR; EPO; JPO
25	BRS	2553	((document page original file) near5 (profile format class\$9) near7 (process\$4 chang\$4 alter\$4 modi\$5)) same (server exchange network send\$3 receiv\$4 transceiv\$5 host computer)) and @ad<"20010627"	USPAT; USOCR; EPO; JPO
26	BRS	1403	((document page original file) near5 (profile format class\$9) near7 (process\$4 chang\$4 alter\$4 modi\$5)) with (server exchange network send\$3 receiv\$4 transceiv\$5 host computer)) and @ad<"20010627"	USPAT; USOCR; EPO; JPO
27	BRS	3	S26 and 358/438.ccls.	USPAT; USOCR; EPO; JPO

	Type	Hits	Search Text	DBs
28	BRS	1122	((document page original file) near5 (profile format class\$9) near7 (process\$4 chang\$4 alter\$4 modi\$5)) near7 (server exchange network send\$3 receiv\$4 transceiv\$5 host computer)) and @ad<"20010627"	USPAT; USOCR; EPO; JPO
29	BRS	25	S28 and processing adj profile	USPAT; USOCR; EPO; JPO
30	BRS	149	((document page original file) near5 (profile format class\$9) near7 (process\$4 chang\$4 alter\$4 modi\$5)) same (scanner)) and @ad<"20010627"	USPAT; USOCR; EPO; JPO